

September 1, 2017

CURRICULUM VITAE

Name: **Weidong Wang, Ph. D.**

Education:

1984 BS. Biology, Beijing University, China
1985 Graduate student at Shanghai Institute of Biochemistry, China
1987 Candidate in Philosophy in Biochemistry, University of California, Los Angeles, California
1991 Ph.D., Biochemistry, University of California, Los Angeles, California
1997 Postdoctoral fellow, Department of Developmental Biology, Howard Hughes Medical Institute, Stanford University, California

Brief Chronology of Employment:

Research Experience:

July 1986-July 1991 Graduate Student Researcher, Department of Chemistry and Biochemistry, UCLA
January 1992-June 1997 Postdoctoral Fellow, Department of Developmental Biology, Stanford University
July 1997-May 2004 Investigator, Head of Transcription Remodeling & Regulation Unit, Laboratory of Genetics, National Institutes of Health, National Institute on Aging
June 2004-present Senior Investigator, Chief, Genome Instability and Chromatin-Remodeling Section, National Institute on Aging, NIH

Teaching Experience:

1986-1987 Teaching Assistant, Department of Chemistry and Biochemistry, UCLA

Fellowships and Honors:

1985-1986 P. R. China Fellowship
1985-1990 UCLA nonresident tuition fellowship
1991-1991 UCLA postdoctoral fellowship
1992-1995 Damon Runyon-Walter Winchell fellowship
1995-1997 Howard Hughes Medical Institute fellowship
1999-2003 Ellison Medical Foundation New Scholar Award
1999-2004 Presidential Early Career Award for Scientists and Engineers
2002 Rett Syndrome Research Foundation Award
2003 Fanconi Anemia Research Foundation Award
2003 Discovery award for the FANCL gene from the Fanconi Anemia Research Foundation
2004 Discovery award for the FANCB gene from the Fanconi anemia Research Foundation
2005 Discovery award for the FANCM gene from the Fanconi Anemia Research Foundation

Weidong Wang, Ph.D.

2005 Fanconi Anemia Research Foundation Merit Award

2007 Discovery award for the FANCN gene from the Fanconi Anemia Research Foundation

2007 Award of Merit, National Institute of Health.

2009-2010 Fanconi Anemia Research Foundation Award

Grants from Outside Research Foundations:

1999-2003 Ellison Medical Foundation New Scholar Award,
Grant NS-0020-99, \$200,000

2002-2004 Rett Syndrome Research Foundation Award, \$100,000

2003-2009 Fanconi Anemia Research Foundation Award, \$192,000

2009-2010 Fanconi Anemia Research Foundation Award, \$55,000

Professional Activities:

Editorial Board:

Molecular and Cellular Biology
Journal of Genomics Archives of Biochemistry and Biophysics
(2001-2005)

BIBLIOGRAPHY- PEER-REVIEWED

- 1 **Wang, W.**, and Gralla, J.: Differential Ability of Proximal and Remote Element Pairs to Cooperate in Activating RNA Polymerase II Transcription. *Mol. Cell. Biol.* 11: 4561-4571, 1991 (PMC ID # PMC361335).
- 2 **Wang, W.**, Carey, M., and Gralla, J.D.: Polymerase II Promoter Activation: Closed Complex Formation and ATP-Driven Startsite Opening. *Science.* 255: 450-453, 1992.
- 3 **Wang, W.**, Gralla, J.D., and Carey, M.: The acidic activator GAL4-AH can stimulate polymerase II transcription by promoting assembly of a closed complex requiring TFIID and TFIIA. *Genes & Dev.* 6: 1716-1727, 1992.
- 4 Hoang, A.T., **Wang, W.**, and Gralla, J.: The replication activation potential of selected RNA polymerase II promoter elements at the simian virus 40 origin. *Mol. Cell. Biol.* 12: 3087-3093, 1992 (PMC ID # PMC364523).
- 5 Kalpana, G.V., Marmon, S., **Wang, W.**, Crabtree, G.R., and Goff, S.P.: Binding and Stimulation of HIV-1 Integrase by a Human Homolog of Yeast Transcription Factor SNF5. *Science.* 266: 2002-2006, 1994.

- 6 Endrizzi, J., Cronk, J.D., **Wang, W.**, Crabtree, G.R., and Alber, T.: Crystal Structure of DcoH, a Bifunctional, Protein-Binding Transcription Cofactor. *Science*. 268: 556-559, 1995.
- 7 **Wang, W.**, Xue, Y., Zhou, S., Kuo, A., Cairns, B.R., and Crabtree, G.: Diversity and Specialization of Mammalian SWI/SNF Complexes. *Genes & Dev*. 10: 2117-2130, 1996.
- 8 **Wang, W.**, Cote, J., Xue, Y., Zhou, S., Muchardt, C., Khavari, P.A., Biggar, S.R., Kalpana, G.V., Goff, S.P., Yaniv, M., Workman, J.L., and Crabtree, G.R.: Purification and Biochemical Heterogeneity of the Mammalian SWI-SNF Complex. *Embo J*. 15: 5370-5382, 1996 (PMC ID # PMC452280).
- 9 **Wang, W.**, Chi, T., Xue, Y., Kuo, A., Zhou, S., and Crabtree, G.: Architectural DNA Binding by a High-Mobility-Group/Kinesin-like Subunit in Mammalian SWI/SNF-Related Complexes. *Proc. Natl. Acad. Sci. USA*. 95: 492-498, 1998 (PMC ID # PMC18447).
- 10 Ring, H.Z., Vameghi-Meyers, V., **Wang, W.**, Crabtree, G.R., and Francke, U.: Five SWI/SNF-related, Matrix-associated, actin-dependent regulator chromatin (SMARC) genes are dispersed in the human genome. *Genomics* 51: 140-143, 1998.
- 11 Zhao, K.*, **Wang, W***, Rando, O.J., Xue, Y., Swiderek, K., Kuo, A., and Crabtree. Rapid and phosphoinositol-dependent binding of the SWI/SNF-like BAF complex to chromatin after T lymphocyte receptor signaling. *Cell*. 95: 625-636, 1998. (*: Co-first authors).
- 12 Xue, Y., Wong, J., Moreno, R.T., Young, M.K., and Cote, J., and **Wang, W.**: NURD, a novel complex with both ATP-dependent chromatin-remodeling and histone deacetylase activities. *Mol. Cell*. 2: 851-861, 1998.
- 13 DeCristofaro, M.F., Betz, B.L., **Wang, W.**, and Weissman, B.E.: Alteration of hSNF5/INI1/BAF47 detected in rhabdoid cell lines and primary rhabdomyosarcomas but not Wilms' tumors. *Oncogene*. 18: 7559-7565, 1999.
- 14 Bochar, D.A., Savard, J., **Wang, W.**, Lafleur, D.W., Moore, P., Cote, J., and Shiekhattar, R.: A family of chromatin remodeling factors related to Williams syndrome transcription factor. *Proc. Natl. Acad. Sci. USA*. 97: 1038-1043, 2000 (PMC ID # PMC15513).
- 15 Bochar, D.A., Wang, L., Beniya, H., Kinev, A., Xue, Y., Lane, W.S., **Wang, W.**, Kashanchi, F., and Shiekhattar, R.: BRCA1 is associated with a human SWI/SNF-related complex: Linking chromatin remodeling to breast cancer. *Cell*. 102: 257-265, 2000.
- 16 Nie, Z., Xue, Y., Yang, D., Zhou, S., Deroo, B.J., Archer, T.K., and **Wang, W.**: Specificity and targeting subunit of a human SWI/SNF family-related chromatin-remodeling complex. *Mol. Cell. Biol*. 20: 8879-8888, 2000 (PMC ID # PMC86543).
- 17 Xue, Y., Canman, J.C., Lee, C.S., Nie, Z., Yang, D., Moreno, G.T., Young, M.K., Salmon, E.D., **Wang, W.**: The human SWI/SNF-B chromatin-remodeling complex is related to

- yeast Rsc and localizes at kinetochores of mitotic chromosomes. *Proc. Natl. Acad. Sci. USA*. 97: 13015-13020, 2000 (PMC ID # PMC27170).
- 18 Decristofaro, M.F., Betz, B.L., Rorie, C.J., Reisman, D.N., **Wang, W.**, and Weissman, B.E.: Characterization of SWI/SNF protein expression in human breast cancer cell lines and other malignancies. *J. Cell Physiol.* 186: 136-145, 2001.
- 19 Li, J., Lin, Q., **Wang, W.**, Wade, P., Wong, J.: Specific targeting and constitutive association of histone deacetylase complexes during transcriptional repression. *Genes & Dev.* 16: 687-692, 2002 (PMC ID # PMC155360).
- 20 Olave, I., **Wang, W.**, and Xue, Y., and Crabtree, G.R.: Identification of a polymorphic, neuron-specific chromatin remodeling complex. *Genes Dev.* 16: 2509-2517, 2002 (PMC ID # PMC187451).
- 21 Reisman, D.N., Sciarotta, J., **Wang, W.**, Funkhouse, W., and Weissman, B.E.: Loss of BRG1/BRM in human lung cancer cell lines and primary tumors: correlation with poor prognosis. *Cancer Research.* 63: 560-566, 2003.
- 22 Nie, Z., Sechi, S., Yan, Z., Yang, D., Murray, D., Kanakubo, E., Chen, E., Xue, Y., Schmidt-Zachmann, M., Cleary, M.L., **Wang, W.**: Novel SWI/SNF Chromatin-remodeling complexes contain a mixed lineage leukemia chromosomal translocation partner. *Mol. Cell. Biol.* 23: 2942-2952, 2003 (PMC ID # PMC152562).
- 23 Meetei, A.R., Sechi, S., Wallisch, M., Yang, D., Young, M.K., Joenje, H., Hoatlin, M.E., **Wang, W.**: A multiprotein nuclear complex connects Fanconi anemia and Bloom syndrome. *Mol. Cell. Biol.* 23: 3417-3426, 2003 (PMC ID #PMC164758).
- 24 Xue, Y., Gibbons, R., Yan, Z., Yang, D., McDowell, T., Sechi, S., Qin, J., Zhou, S., Higgs, D., **Wang, W.**: The ATRX syndrome protein forms a new chromatin-remodeling complex with Daxx and localizes in PML nuclear bodies. *Proc. Natl. Acad. Sci. USA*. 100: 10635-10640, 2003 (PMC ID # PMC196856).
- 25 Hsiao, P-W., Fryer, C.J., **Wang, W.**, and Archer, T.K. BAF60a links GR to core BRG1 complex to activate the MMTV promoter in a closed chromatin environment. *Mol. Cell. Biol.* 23: 6210-6220, 2003 (PMC ID # PMC180928).
- 26 Meetei, A.R., de Winter, J.P., Wallisch, M., Waisfisz, Q., van de Vrugt, H.J., Oostra, A.B., Yan, Z., Ling, C., Bishop, C.E., Hoatlin, M.E., Joenje, H., and **Wang, W.**: A novel ubiquitin ligase is deficient in Fanconi anaemia. *Nature Genetics.* 35: 165-170, 2003.
- 27 Meetei, A.R., Yan, Z., and **Wang, W.**: FANCL replaces BRCA1 as the likely ubiquitin ligase responsible for FANCD2 monoubiquitination. *Cell Cycle.* 3: 1-4, 2004.
- 28 Meetei, A.R*, Levitus, M*, Xue, Y., Medhurst, M.L., Zwaan, M., Ling, C., Roimans, M.A., Bier, P., Hoatlin, M., Pals, G., de Winter, J.P., **Wang, W***, Joenje, H*: X- linked

- inheritance of Fanconi anemia complementation group B. *Nature Genetics*. 36: 1219-1224, 2004. (*: co-corresponding author and co-first author from two groups).
- 29 Doan D., Veal, T.M., Yan, Z., **Wang, W.**, Jones, S.N., and Imbalzano, A.N.: Loss of the INI1 tumor suppressor does not impair the expression of multiple BRG1-dependent genes or the assembly of SWI/SNF enzymes. *Oncogene*. 23: 3462-3473, 2004.
- 30 Yin, J., Haney, L., Walk, S., Zhou, S., and Ravichandran, K.S., and **Wang, W.**: Nuclear localization of the DOCK180/ELMO complex. *Archives of Biochemistry and Biophysics*. 429: 23-29, 2004.
- 31 Yin, J., Kwon, Y.T., Varshavsky, A., and **Wang, W.**: RECQL4, mutated in the Rothmund-Thomson and RAPADILINO syndromes, interacts with ubiquitin ligases UBR1 and UBR2 of the N-end rule pathway. *Human Molecular Genetics*. 13: 2421-2430, 2004.
- 32 Sekine, I., Sunaga, N., Toyooka, S., Peyton, M., Parsons, R., **Wang, W.**, Gazdar, A.F., and Minna, J.D.: Expression of the 3p21 candidate tumor suppressor gene BAF180 is normal in human lung cancer. *Oncogene*. 24: 2735-2738, 2005.
- 33 Yin, J., Soback, A., Xu, C., Meetei, A.R., Hoatlin, M., Li, L., and **Wang, W.**: BLAP75, an essential component of Bloom's syndrome protein complexes that maintain genome integrity. *EMBO J*. 24: 1465-1476, 2005 (PMC ID # PMC1142546).
- 34 Yan, Z., Cui, K., Murray, D.M., Ling, C., Xue, Y., Gerstein, A., Parsons, R., Zhao, K., and **Wang, W.**: PBAF Chromatin-Remodeling Complex Requires a Novel Specificity Subunit, BAF200, to Regulate Expression of Selective Interferon-Responsive Genes. *Genes Dev*. 19:1662-1667, 2005 (PMC ID # PMC1176002).
- 35 Meetei, A.R., Medhurst, A.L., Ling, C., **Wang, W.** et al.: A human orthologue of archaeal DNA repair protein Hef is defective in Fanconi anemia complementation group M. *Nature Genetics*. 37: 958-963, 2005 (PMC ID # PMC2704909).
- 36 Soback, A., Stone, S., Costanzo, V., **Wang, W.** et al.: Fanconi anemia proteins are required to prevent accumulation of replication-associated DNA double-strand breaks. *Mol. Cell Biol*. 26: 425-437, 2006 (PMC ID # PMC1346898)
- 37 Wu, L., Bachrati, C., Ou, J., Xu, C., Yin, J., Chang, M., **Wang, W.**, Li, L., Brown, G.W., and Hickson, I.D.: BLAP75/RMI promotes the BLM-dependent dissolution of homologous recombination intermediates. *Proc. Natl. Acad. Sci. USA*. 103: 4068-4073, 2006 (PMC ID # PMC1449647).
- 38 Medhurst, A.L., Laghmani, E.H., Steltenpool, J., **Wang, W.** et al.: Evidence for subcomplexes in the Fanconi anaemia pathway. *Blood*. 108: 2072-2080, 2006 (PMC ID # PMC1895538).
- 39 Hu, K., Nan, X., Bird, A., and **Wang, W.**: Testing for association between MeCP2 and the Brahma-associated SWI/SNF chromatin-remodeling complex. *Nature Genetics*. 38: 962-964, 2006.

- 40 Pellegrini, M., Celeste, A., Difilippantonio, S., Guo, R., **Wang, W.**, Feigenbaum, L., and Nussenzweig, A.: Autophosphorylation at serine 1987 is dispensable for murine Atm activation in vivo. *Nature*. 443: 222-225, 2006.
- 41 Xia, B., Dorsman, J.C., Ameziane, N., de Vries, Y., Rooimans, M.A., Sheng, Q., Pals, G., Errami, A., Gluckman, E., Llera, J., **Wang, W.**, Livingston, D.M., Joenje, H., and de Winter, J.P.: Fanconi anemia is associated with a defect in the BRCA2-partner PALB2. *Nature Genetics*. 39: 159-161, 2007.
- 42 Ciccia, A.*, Ling, C.*, Coulhard, R., Yan, Z., Xue, Y., Meetei, A.R., Laghmani, E.H., Joenje, J., McDonald, N., de Winter, J.P., **Wang, W.***, and West, S.C.*: Identification of FAAP24, a novel Fanconi anemia core complex protein that interacts with FANCM. *Mol. Cell*. 25: 331-343, 2007 (*:co-first and co-corresponding authors from two groups.)
- 43 Ling, C., Ishiai, M., Ali, A.M., Medhurst, A.L., Neveling, K., Kalb, R., Yan, Z., Xue, Y., Oostra, A.B., Auerbach, A.D., Hoatlin, M.E., Schindler, D., Joenje, H., de Winter, J., Takata, M., Meetei, A.R., and **Wang, W.**: FAAP100 is essential for activation of the Fanconi anemia-associated DNA damage response pathway. *EMBO J*. 26: 2104-2114, 2007 (PMC ID # PMC1852792).
- 44 Gong, F., Fahy, D., Liu, H., **Wang, W.**, and Smerdon, M.J.: Role of the mammalian SWI/SNF chromatin remodelling complex in the cellular response to UV damage. *Cell Cycle*. 7: 1067-1074, 2008.
- 45 Yan, Z.*, Wang, Z.*, Sharova, L.*, Sharov, A.A., Ling, C., Piao, Y., Aiba, K., Matoba, R., **Wang, W.***, and Ko, M.S.*: BAF250B-associated SWI/SNF Chromatin-remodeling Complex is Required to Maintain Undifferentiated Mouse Embryonic Stem Cells. *Stem Cells*. 26: 1155-1165, 2008 (PMC ID # PMC2409195). (*: co-first and co-corresponding authors from two groups).
- 46 Xue, Y., Li, Y., Guo, R., Ling, C., and **Wang, W.**: FANCM of the Fanconi anemia core complex is required for both monoubiquitination and DNA repair. *Hum Mol Genet*. 17: 1641-1652, 2008 (PMC ID # PMC2902294).
- 47 Wang, W., Fang, H., Groom, L., Cheng, A., Zhang, W., Liu, J., Wang, X., Li, K., Han, P., Zheng, M., Yin, J., **Wang, W.**, Mattson, M.P., Kao, J.P.Y., Lakatta, E.G., S.-S. Sheu, S.S., Ouyang, K., Chen, J., Dirksen, R.T., and Cheng, H.: Superoxide Flashes in Single Mitochondria. *Cell*. 134: 279-290, 2008 (PMC ID # PMC2547996).
- 48 Xu, D., Guo, R., Soback, A., Bachrati, C.Z., Yang, J., Enomoto, T., Brown, G.W., Hoatlin, M., Hickson, I.D., **Wang, W.**: RMI, a new OB-fold complex essential for Bloom syndrome protein to maintain genome stability. *Genes. Dev*. 22: 2843-2855, 2008 (PMC ID # PMC2569887).

- 49 Tao, J*., Hu, K*., Chang, Q*., Wu, H., Sherman, N. E., Martinowich, K., Klose, R. J., Schanen, C., Jaenisch, R*., **Wang, W***. and Sun, Y. E*.: Phosphorylation of MeCP2 at Serine 80 regulates its chromatin association and neurological function. *Proc Natl Acad Sci USA*. 106: 4882-4887, 2009 (PMC ID # PMC2660725). (*: Three groups share first and corresponding authorship).
- 50 Guo, R., Xu, D., and **Wang, W.**: Identification and analysis of new proteins involved in the DNA damage response network of Fanconi anemia and Bloom syndrome. *Methods*. 48: 72-79, 2009 (PMC ID # PMC2693241).
- 51 Li, Y., Bolderson, E., Kumar, R., Muniandy, P.A., Xue, Y., Richard, D., Seidman, M., Pandita, T.K., Khanna, K.K., **Wang, W.**: hSSB1 and hSSB2 form similar multi-protein complexes that participate in DNA damage response. *J Biol Chem*. 284: 23525-23531, 2009 (PMC ID # PMC2749126).
- 52 Shen, X., Do, H., Li, Y., Chung, W-H., Tomasz, M., de Winter, J.P., Xia, B., Elledge, S.J., **Wang, W.**, Li, L.: Recruitment of Fanconi Anemia and Breast Cancer Proteins to DNA Damage Sites is Differentially Governed by Replication. *Mol. Cell*. 35: 716-723, 2009 (PMC ID # PMC2758766).
- 53 Nishiyama, A., Xin, L., Sharov, A.A., **Wang, W.** et al.: Uncovering early response of gene regulatory networks in ES cells by systematic induction of transcription factors. *Cell Stem Cell*. 5: 420-433, 2009 (PMC ID # PMC2770715).
- 54 Thangavel, S., Mendoza-Maldonado, R., Tissino, E., Sidorova, J.M., Yin, J., **Wang, W.**, Monnat, R.J. Jr, Falaschi, A., Vindigni, A.: The human RECQ1 and RECQ4 helicases play distinct roles in DNA replication initiation. *Mol Cell Biol*. 30: 1382-1396, 2010 (PMC ID # PMC2832491).
- 55 Yan, Z., Delannoy, M., Ling, C., **Wang, W.** et al: A histone-fold complex and FANCM form a conserved DNA remodeling complex to maintain genome stability. *Molecular Cell*. 37: 865-878, 2010 (PMC ID # PMC2847587).
- 56 Islam, N., Fox, D.3rd, Guo, R., **Wang, W.** et. al.: RecQL5 promotes genome stabilization through two parallel mechanisms--Interacting with RNA polymerase II and Acting as a helicase. *Mol. Cell. Biol*. 30: 2460-2472, 2010 (PMC ID # PMC2863711).
- 57 Hoadley, K.A., Xu, D., Xue, Y., Satyshur, K.A., **Wang, W.***, and Keck, J.L.*: Structure and cellular roles of the RMI core complex from the Bloom syndrome dissolvasome. *Structure*. 18: 1149-1158, 2010 (PMC ID # PMC2937010) (*: co-corresponding author).
- 58 Wang, F., Yang, Y., Singh, T.R., **Wang, W.** et al.: Crystal Structures of RMI1 and RMI2, Two OB-Fold Regulatory Subunits of the BLM Complex. *Structure*. 18: 1159-1170, 2010 (PMC pending).

- 59 Xu, D., Muniandy, P., Leo, E., **Wang, W.** et al.: Rif1 provides a new DNA-binding interface for the Bloom syndrome complex to maintain normal replication. *EMBO J.* 29: 3140-3155, 2010 (PMC ID # PMC2944062).
- 60 Chen, H., You, M.J., Jiang, Y., **Wang, W.**, and Li, L.: RMI1 Attenuates Tumor Development and is Essential for Early Embryonic Survival. *Molecular Carcinogenesis.* 50: 80-88, 2011 (PMC ID # PMC3079784).
- 61 DelBove, J., Rosson, G., Strobeck, M., **Wang, W.** et al.: Identification of a core member of the SWI/SNF complex, BAF155/SMARCC1, as a human suppressor gene. *Epigenetics.* 6: 1444-1453, 2011 (PMC ID # PMC3256333).
- 62 Hoadley, K.A., Xue, Y., Ling, C., Takata, M., **Wang, W.***, and Keck, J.M.*: Defining the molecular interface that connects the Fanconi Anemia protein FANCM to the Bloom Syndrome dissolvosome. *Proc Natl Acad Sci USA.* 109: 4437-4442, 2012 (PMC ID # PMC3311393). (*: co-corresponding authors.)
- 63 Baradaran-Heravi, A., Raams, A., Lubieniecka, J., **Wang, W.** et al.: SMARCAL1 Deficiency Predisposes to Non-Hodgkin Lymphoma and Hypersensitivity to Genotoxic Agents *In vivo.* *Am J Med Genet A.* 158: 2204-2213, 2012 (PMC ID # PMC3429644).
- 64 Yan, Z., Guo, R., Paramasivam, M., **Wang, W.** et al.: A ubiquitin-binding protein FAAP20 links RNF8-mediated ubiquitination to the Fanconi anemia DNA Repair network. *Mol. Cell.* 13: 47: 61-75, 2012 (PMC ID # PMC3398238).
- 65 Islam, N., Pa, N., Fox, D.3rd, **Wang, W.** et al.: A variant of the breast cancer type 2 susceptibility protein (BRC) repeat is essential for the RECQL5 helicase to interact with RAD51 recombinase for genome stabilization. *J Biol Chem.* 287: 23808-23818, 2012 (PMC ID # PMC3390654).
- 66 Xu, D., Shen, W., Guo, R., **Wang, W.** et. al.: Top3 β is an RNA topoisomerase that works with Fragile X syndrome protein to promote synapse formation. *Nature Neuroscience.* 2013 (PMC ID # PMC3853347).
- 67 Huang, J., Liu, S., Bellani, M.A., Thazhathveetil, A.K., Ling, C., de Winter, J.P., Wang, Y., **Wang, W.**, and Seidman, M.M.: The DNA translocase FANCM/MHF promotes replication traverse of DNA interstrand crosslinks. *Mol Cell.* 52: 434-446, 2013 (PMC ID # PMC3880019).
- 68 Wang, Y., Leung, J.W., Jiang, Y., Wang, W. et al.: FANCM and FAAP24 Maintain Genome Stability via Cooperative as Well as Unique Functions. *Mol Cell.* 49: 997-1009, 2013 (PMC ID # PMC3595374).
- 69 Hosono, Y., Abe, T., Ishiai, M., Islam, M.N., Arakawa, H., **Wang, W.**, Takeda, S., Ishii, Y., Takata, M., Sekia, M., Enomoto, T.: Tumor suppressor RecQL5 controls recombination

- induced by DNA crosslinking agents. *Biochim Biophys Acta*. 1843: 1002-1012, 2014 (PMC ID # PMC5525539).
- 70 Fox, D.3rd., Yan, Z., Ling, C., Zhao, Y., Lee, D.Y., Fukagawa, T., Yang, W., **Wang, W.**: The histone-fold complex MHF is remodeled by FANCM to recognize branched DNA and protect genome stability. *Cell Res*. 24: 560-575, 2014 (PMC ID # PMC4011343).
- 71 Akiyama, T., Xin, L., Oda, M., Sharov, A.A., Amano, M., Piao, Y., Cadet, J.S., Dudekula, D.B., Qian, Y., **Wang, W.**, Ko, S.B.H., and Ko M.S.H.: Transient bursts of Zscan4 expression are accompanied by the rapid derepression of heterochromatin in mouse embryonic stem cells. *DNA Research*. 22: 307-318, 2015 (PMC ID # PMC4596397).
- 72 Lei, I., West, J., Yan, Z., Gao, X., Fang, P., Dennis, J.H., Gnatovskiy, L., **Wang, W.**, Kingston, R.E., Wang, Z.: BAF250a Protein Regulates Nucleosome Occupancy and Histone Modifications in Priming Embryonic Stem Cell Differentiation. *J Biol Chem*. 290: 19343-19352, 2015 (PMC ID # PMC4521052).
- 73 Rohleder, F., Huang, J., Xue, Y., Kuper, J., Round, A., Seidman, M., **Wang, W.**, Kisker, C.: FANCM interacts with PCNA to promote replication traverse of DNA interstrand crosslinks. *Nuc Acids Res*. 44: 3219-3232, 2016 (PMC ID # PMC4838364).
- 74 Ahmad, M., Xue, Y., Lee, S.K., Martindale, J.L., Shen, W., Li, W., Zou, S., Ciaramella, M., Debat, H., Nadal, M., Leng, F., Zhang, H., Wang, Q., Siaw, G.E.L., Niu, H., Pommier, Y., Gorospe, M., Hsieh, T.-S., Tse-Dinh, Y., Xu, D., **Wang, W.**: RNA topoisomerase activity is prevalent in type IA topoisomerases from all domains of life and associates with polyribosomes in higher eukaryotes. *Nucleic Acids Research*. 44: 6335-6349, 2016 (PMC ID # PMC4994864).
- 75 Ling, C., Huang, J., Yan, Z., Li, Y., Ohzeki, M., Ishiai, M., Xu, D., Takata, M., Seidman, M., and **Wang, W.**: Bloom syndrome complex promotes FANCM recruitment to stalled replication forks and facilitates both repair and traverse of DNA interstrand crosslinks. *Cell Discovery*. 2: 16047, 2016 (PMC ID # PMC5167996).
- 76 Ahmad, M., Shen, W., Li, W., Xue, Y., Zou, S., Xu, D., **Wang, W.**: Topoisomerase 3 β is the major topoisomerase for mRNAs and linked to neurodevelopment and mental dysfunction. *Nucleic Acids Res*. 45: 2704-2713, 2016 (PMC ID # PMC5389537).
- 77 Ahmad, M., Xu, D., **Wang, W.**: Type IA topoisomerases can be “magicians” for both DNA and RNA in all domains of life. *RNA Bio*. 14: 854-864, 2017 (PMC ID # PMC5546716).
- 78 Kim, J., Noh, J.H., Munk, R., Lee, S.-K., Sharov, A., Lehrmann, E., Zhang, Y., **Wang, W.**, Abdelmohsen, K., and **Gorospe, M.**: LncRNA OIP5-AS1/cyrano suppresses GAK expression to control mitosis. *Oncotarget*. 8: 49409-49420, 2017 (PMC ID # PMC5564778).

- 79 Ranjan, N., Story, S., Fulcrand, G., Leng, F., Ahmad, M., King, A., Sur, S., **Wang, W.**, Tse-Dinh, Y-C., Arya, D.: Selective Inhibition of E. coli RNA and DNA Topoisomerase I by Hoechst 33258 Derived Mono and Bisbenzimidazoles. *J Med Chem.* 60: 4904-4922, 2017. (PMC Pending).

Reviews and Book Chapters:

- 1 **Wang, W.:** The SWI/SNF Family of ATP-dependent Chromatin-Remodelers: Similar Mechanisms for Diverse Functions. *Curr Top Microbiol and Immunol.* 274: 143-169, 2003.
- 2 Chi, T. Yan, Z., Xue, Y., and **Wang, W.:** Purification and functional analysis of the mammalian SWI/SNF-family of chromatin-remodeling complexes. *Methods in Enzymology.* 307: 299-316, 2003.
- 3 Fei, P., Yin, J., and **Wang, W.:** New Advances in the DNA Damage Response Network of Fanconi Anemia and BRCA proteins: FAAP95 Replaces BRCA2 as the True FANCB Protein. *Cell Cycle.* 4: 80-86, 2005.
- 4 Guo, R., and **Wang, W.:** A DNA-damage Response Network of Fanconi Anemia and BRCA Proteins. In: Wei, Q., Chen, D., and Li, L. (Eds.): *DNA Repair, Genetic Instability, and Cancer.* First EDITION, Singapore, World Scientific Publishing Co. Pte. Ltd., 2007, pp. 177-202.
- 5 **Wang, W.:** Emergence of a DNA Damage Response Network Consisting of Fanconi Anemia and BRCA Proteins. *Nature Review Genetics.* 8: 735-748, 2007.
- 6 **Wang, W.:** A Major Switch for the Fanconi anemia DNA damage-response pathway. *Nat. Struct. Mol. Biol.* 15: 1128-1130, 2008.
- 7 Ahmad, M., Xu, D., **Wang, W.:** An assay for detecting RNA topoisomerase activity. A chapter in a book "DNA Topoisomerases: Methods and Protocols". Edited by Dr. Marc Drolet. Published by Springer. (in press). 2017

Comments:

- 1 Xue, Y., Zhang, Y., Shiekhattar, R., **Wang, W.** et al.: No detectable association between LSD1 and the endogenous NuRD complex. *Cell.* 2010.