

Table	Table Name	Field Name	Question	Codes for Categorical Variables
age_at_event		age_amy	Age of the participant when pet scan was done	(pet_scan_date - ptdob)/365.25
age_at_event		age_at_visit	Age of the participant at visit	(de_eval_date - ptdob)/365.25
age_at_event		age_tau	Age of the participant when tau scan was done	(tau_scan_date - ptdob)/365.25
age_at_event		age_mri	Age of the participant when mri was done	(mri_scan_date - ptdob)/365.25
age_at_event		age_fdg	Age of the participant when fdg scan was done	(fdg_scan_date - ptdob)/365.25
amymeta	Amyloid PIB PET Scan Information	amy_done	Was the scan conducted?	0=No;1=Yes
amymeta	Amyloid PIB PET Scan Information	amy_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
amymeta	Amyloid PIB PET Scan Information	amyinjtime	Time of [C-11]PIB injection	
amymeta	Amyloid PIB PET Scan Information	amyscantm	Emission Scan Start Time	
amymeta	Amyloid PIB PET Scan Information	amytime	Time of [C-11]PIB dose assay	
amymeta	Amyloid PIB PET Scan Information	amydose	Injected [C-11]PIB dose assay	
apoe		allele_combo	Genotype	
cogblock	Block Design	bd_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogblock	Block Design	exbd	Block Design - Extended Block Design Raw Score:	
cogblock	Block Design	wisbd	Block Design - WISC Raw Score:	
cogblock	Block Design	wbdy	Block Design - WISC Age Equivalent - Years:	
cogblock	Block Design	wbdm	Block Design - WISC Age Equivalent - Months:	
cogblock	Block Design	bd_done	Was assessment/procedure done?	0=No;1=Yes
cogcatdog	Cats and Dogs Task	ttncd	Cat and Dog Task - Naming Trial / Time Taken:	
cogcatdog	Cats and Dogs Task	nencd	Cat and Dog Task - Naming Trial / Number of Errors:	
cogcatdog	Cats and Dogs Task	ttscd	Cat and Dog Task - Switch Trial / Time Taken:	
cogcatdog	Cats and Dogs Task	nescd	Cat and Dog Task - Switch Trial / Number of Errors:	
cogcatdog	Cats and Dogs Task	cadt_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogcatdog	Cats and Dogs Task	cadt_done	Was assessment/procedure done?	0=No;1=Yes
cogdsmse	Down Syndrome Mental Status Exam	dsmse_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogdsmse	Down Syndrome Mental Status Exam	dsmse_done	Was assessment/procedure done?	0=No;1=Yes
cogdsmse	Down Syndrome Mental Status Exam	dspi1	DSMSE - Personal Information Score:	
cogdsmse	Down Syndrome Mental Status Exam	dsme1	DSMSE - Memory Score:	
cogdsmse	Down Syndrome Mental Status Exam	dsap1	DSMSE - Apraxia Score	
cogdsmse	Down Syndrome Mental Status Exam	dsla1	DSMSE - Language Score (Method 1):	
cogdsmse	Down Syndrome Mental Status Exam	dsla2	DSMSE - Language Score (Method 2):	
cogdsmse	Down Syndrome Mental Status Exam	dsvs1	DSMSE - Visuospatial Score:	
cogdsmse	Down Syndrome Mental Status Exam	dske1	DSMSE - Knowledge of the Examiner Score	
cogdsmse	Down Syndrome Mental Status Exam	dsto1	DSMSE - Total Score (Method 1):	
cogdsmse	Down Syndrome Mental Status Exam	dsto2	DSMSE - Total Score (Method 2):	
cogpegboard	Purdue Pegboard	bhsp	Purdue Pegboard - Both Hands Raw Score:	
cogpegboard	Purdue Pegboard	nhsp	Purdue Pegboard - Non-Dominant Hand Raw Score:	

Table	Table Name	Field Name	Question	Codes for Categorical Variables
cogpegboard	Purdue Pegboard	dhsp	Purdue Pegboard - Dominant Hand Raw Score:	
cogpegboard	Purdue Pegboard	pp_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogpegboard	Purdue Pegboard	pp_done	Was assessment/procedure done?	0=No;1=Yes
cogpicture	Rivermead Picture Recognition Delay	trcp	Rivermead Picture Recognition - Total Correct:	
cogpicture	Rivermead Picture Recognition Delay	tfprp	Rivermead Picture Recognition - Total False Positives:	
cogpicture	Rivermead Picture Recognition Delay	rsrp	Rivermead Picture Recognition - Raw Score:	if([trcp]>= 0 and [tfprp]>= 0, [trcp]-[tfprp],"NaN")
cogpicture	Rivermead Picture Recognition Delay	rbmt_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogpicture	Rivermead Picture Recognition Delay	rbmt_done	Was assessment/procedure done?	0=No;1=Yes
cogrecall	Cued Recall	crtt_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogrecall	Cued Recall	crtt_done	Was assessment/procedure done?	0=No;1=Yes
cogrecall	Cued Recall	frt1	Free Recall / Trial 1:	
cogrecall	Cued Recall	ift1	Intrusions to FR / Trial 1:	
cogrecall	Cued Recall	frt2	Cued Recall - Free Recall / Trial 2:	
cogrecall	Cued Recall	crt1	Cued Recall / Trial 1:	
cogrecall	Cued Recall	frt3	Cued Recall - Free Recall / Trial 3:	
cogrecall	Cued Recall	ict1	Intrusions to CR / Trial 1:	
cogrecall	Cued Recall	crt2	Cued Recall - Cued Recall / Trial 2:	
cogrecall	Cued Recall	ift2	Intrusions to FR / Trial 2:	
cogrecall	Cued Recall	crt3	Cued Recall - Cued Recall / Trial 3:	
cogrecall	Cued Recall	ict2	Intrusions to CR / Trial 2:	
cogrecall	Cued Recall	ift3	Cued Recall - Intrusions Free / Trial 3:	
cogrecall	Cued Recall	ict3	Intrusions to CR / Trial 3:	
cogvmi	Visual-Motor Integration	vmi_done	Was assessment/procedure done?	0=No;1=Yes
cogvmi	Visual-Motor Integration	vmi_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
cogvmi	Visual-Motor Integration	rsvmi	VMI - Raw Score:	
cogvmi	Visual-Motor Integration	vmim	VMI - Age Equivalent - Months:	
consensus	Diagnostic Consensus Classification	ccd_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
consensus	Diagnostic Consensus Classification	ccd_done	Was assessment/procedure done?	0=No;1=Yes
consensus	Diagnostic Consensus Classification	cognitive	Cognitive	0=No;1=Yes
consensus	Diagnostic Consensus Classification	behavemot	Behavioral/Emotional	0=No;1=Yes
consensus	Diagnostic Consensus Classification	adapt	Adaptive	0=No;1=Yes
consensus	Diagnostic Consensus Classification	psymtr	Psychomotor	0=No;1=Yes
consensus	Diagnostic Consensus Classification	memory	Memory	0=No;1=Yes
consensus	Diagnostic Consensus Classification	intrprsnl	Interpersonal	0=No;1=Yes
consensus	Diagnostic Consensus Classification	consensus	Current Concern: Final Determination	0=No MCI and no Dementia;1=MCI;2=Dementia;3=Unable to Determine
consensus	Diagnostic Consensus Classification	demcrit1	Dementia Criteria 1: NTG Memory (at least one item endorsed) AND DSMSE score less than or equal to 35	0=No;1=Yes

Table	Table Name	Field Name	Question	Codes for Categorical Variables
consensus	Diagnostic Consensus Classification	demcrit2	Dementia Criteria 2: EITHER [1. A score of three in the following NTG sections (any combination) Language and communication, Behavior and Affect] OR [2. DLD Cognitive Score equal to or greater than 16 or Increase of 7 or more points from a previous DLD]	0=No;1=Yes
consensus	Diagnostic Consensus Classification	demcrit3	Dementia Criteria 3: EITHER [1. Endorse at least one item on both NTG Activities Daily Living and Ambulation] OR [2. DLD Social Score equal to or greater than 20 or Increase of 5 or more points from a previous DLD]	0=No;1=Yes
consensus	Diagnostic Consensus Classification	mcicrit1	MCI Criteria 1: NTG Memory (at least one item endorsed) AND DSMSE score less than or equal to 35	0=No;1=Yes
consensus	Diagnostic Consensus Classification	mcicrit2	MCI Criteria 2: EITHER [A score 1 SD or more below the mean on two of these three measures: (Cued Recall Total Score, Block Design Total Score, and Purdue Pegboard sum of each hand).] OR [NTG-EDSD a total of three items in the following sections: Language and Communication and Behavior and Affect.	0=No;1=Yes
consensus	Diagnostic Consensus Classification	altchronic	NTG Chronic Health Conditions	0=No;1=Yes
consensus	Diagnostic Consensus Classification	althealth	NTG Health Conditions Present	0=No;1=Yes
consensus	Diagnostic Consensus Classification	altevent	NTG Significant Recent Events	0=No;1=Yes
consensus	Diagnostic Consensus Classification	altreiss	Reiss Screen concerns	0=No;1=Yes
consensus	Diagnostic Consensus Classification	altfinal	Alternative Explanations for Decline: Final Determination	0=No;1=Yes
csfcoll	Sample Collection - CSF	csfhrresp	Respirations	
csfcoll	Sample Collection - CSF	csfcomp	Immediate Complications	0=No;1=Yes;2=Other
csfcoll	Sample Collection - CSF	lppatchfluoro	Check if any of the following was performed:Â Â	1=Lumbar Puncture Blood Patch;2=Fluoroscopy
csfcoll	Sample Collection - CSF	csfpostdia	Blood Pressure - Diastolic	
csfcoll	Sample Collection - CSF	csfpostresp	Respirations	
csfcoll	Sample Collection - CSF	ppvitalposit2	Patient Position - Vitals	1=Lying Down;2=Seated
csfcoll	Sample Collection - CSF	csfhrtemp	Temperature	
csfcoll	Sample Collection - CSF	csfhrtmpu	Temperature Units	0=Fahrenheit;1=Celsius
csfcoll	Sample Collection - CSF	csfhrsyst	Blood Pressure - Systolic	
csfcoll	Sample Collection - CSF	csfhrpulse	Pulse Rate	
csfcoll	Sample Collection - CSF	csfhrdia	Blood Pressure - Diastolic	
csfcoll	Sample Collection - CSF	csfposttmpu	Temperature Units	0=Fahrenheit;1=Celsius
csfcoll	Sample Collection - CSF	csfpostsyst	Blood Pressure - Systolic	
csfcoll	Sample Collection - CSF	csfpostpulse	Pulse Rate	
csfcoll	Sample Collection - CSF	csfpresyst	Seated Blood Pressure - Systolic	
csfcoll	Sample Collection - CSF	csfprepulse	Pulse Rate	
csfcoll	Sample Collection - CSF	csfpredia	Seated Blood Pressure - Diastolic	
csfcoll	Sample Collection - CSF	csfpreresp	Seated Respirations	
csfcoll	Sample Collection - CSF	csfneedle	Spinal Needle	1=22g (preferred) ;2=24g (not recommended) ;3=Other
csfcoll	Sample Collection - CSF	csfmethod	Collection Method	1=Gravity (preferred);2=Aspiration (not recommended)
csfcoll	Sample Collection - CSF	csflpsite	LP was performed at the:	1=L3-L4 inter space (preferred) ;2=L2-L3 inter space ;3=L4-L5 inter space ;4=Other
csfcoll	Sample Collection - CSF	csfshnum	Tracking Number	
csfcoll	Sample Collection - CSF	ppvitalposit1	Patient Position - Vitals	1=Lying Down;2=Seated (not recommended immediately post-procedure)
csfcoll	Sample Collection - CSF	csfposttemp	Temperature	
csfcoll	Sample Collection - CSF	csfship	Shipping	1=Shipped day of visit (US sites ONLY);2=Not shipped day of visit (US sites ONLY);3=Frozen for batch shipping (International sites ONLY)
csfcoll	Sample Collection - CSF	timefrozali	Time 500- μ l CSF aliquots put on dry ice/frozen	
csfcoll	Sample Collection - CSF	timefroztube	Time 50-ml conical tube of CSF put on dry ice/frozen	
csfcoll	Sample Collection - CSF	csfaliquots	Number of 500- μ l aliquot tubes containing the full 450 μ l CSF	
csfcoll	Sample Collection - CSF	csfvolcoll	Volume CSF collected	
csfcoll	Sample Collection - CSF	csfvoltrans	Volume CSF remaining in 50-ml conical tube after 2 ml transferred for centrifugation	
csfcoll	Sample Collection - CSF	csftrans	CSF Transfer Time	
csfcoll	Sample Collection - CSF	csfstytime	If collected in polystyrene and shipped in polypropylene, time in polystyrene collection tube:	
csfcoll	Sample Collection - CSF	csftime	Time CSF collected	
csfcoll	Sample Collection - CSF	csftubeship	Shipping Tube	1=Confirm ONLY POLYPROPYLENE tube used for collection;2=Check if protocol violated and polystyrene tube used

Table	Table Name	Field Name	Question	Codes for Categorical Variables
csfcoll	Sample Collection - CSF	csftubecoll	Collection Tube	1=Confirm ONLY POLYPROPYLENE tube used for collection;2=Check if protocol violated and polystyrene tube used
csfcoll	Sample Collection - CSF	lposition	Patient Position:	1=Sitting, leaned over (preferred);2=Lying, curled up on side
csfcoll	Sample Collection - CSF	ppvitalposit	Patient Position - Vitals	1=Lying Down;2=Seated
csfcoll	Sample Collection - CSF	csfpretemp	Temperature	
csfcoll	Sample Collection - CSF	pretempunt	Temperature Units	0=Farenheit;1=Celsius
csfcoll	Sample Collection - CSF	csf_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
csfcoll	Sample Collection - CSF	csf_done	Was assessment/procedure done?	0=No;1=Yes
dld	The Dementia Questionnaire for People with Learning Disabilities	dldss	DLD - Sum of Social Scores (categories 4 - 8):	
dld	The Dementia Questionnaire for People with Learning Disabilities	dldcs	DLD - Sum of Cognitive Scores (categories 1 - 3):	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld7	DLD - Activity & Interest:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld8	DLD - Behavioral Disturbance:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld6	DLD - Mood:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld5	DLD - Practical Skills:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld4	DLD - Speech:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld3	DLD - Spatial and Temporal Orientation:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld1	DLD - Short-Term Memory:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld2	DLD - Long-Term Memory:	
dld	The Dementia Questionnaire for People with Learning Disabilities	dld_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
dld	The Dementia Questionnaire for People with Learning Disabilities	dld_done	Was assessment/procedure done?	0=No;1=Yes
familyhistory	Family History	fh_schiz_s_wout_ds	Schizophrenia/Psychosis	
familyhistory	Family History	fh_ci_s_ds	Cognitive Impairment	
familyhistory	Family History	fh_ad_s_ds	Dementia/Alzheimer's Disease	
familyhistory	Family History	fh_ad_eo_s_ds	If one or more siblings with Dementia/AD, indicate number of sibilings with early onset (< 60yo).	
familyhistory	Family History	fh_ad_lo_s_ds	If one or more siblings with Dementia/AD, indicate number of sibilings with late onset (? 60yo).	
familyhistory	Family History	fh_stroke_s_ds	Stroke	
familyhistory	Family History	fh_epilepsy_s_ds	Epilepsy	
familyhistory	Family History	fh_depression_s_ds	Depression	
familyhistory	Family History	fh_bd_s_ds	Bipolar Disorder	
familyhistory	Family History	fh_ocd_s_ds	Anxiety/OCD	
familyhistory	Family History	fh_schiz_s_ds	Schizophrenia/Psychosis	
familyhistory	Family History	fh_bd_s_wout_ds	Bipolar Disorder	
familyhistory	Family History	fh_ocd_s_wout_ds	Anxiety/OCD	
familyhistory	Family History	fh_depression_s_wout_ds	Depression	
familyhistory	Family History	fh_stroke_s_wout_ds	Stroke	
familyhistory	Family History	fh_epilepsy_s_wout_ds	Epilepsy	
familyhistory	Family History	fh_ad_eo_s_wout_ds	If one or more siblings with Dementia/AD, indicate number of sibilings with early onset (< 60yo).	
familyhistory	Family History	fh_ad_lo_s_wout_ds	If one or more siblings with Dementia/AD, indicate number of sibilings with late onset (? 60yo).	

Table	Table Name	Field Name	Question	Codes for Categorical Variables
familyhistory	Family History	fh_number_siblings_wout_ds	Number of full biological siblings without Down syndrome	
familyhistory	Family History	fh_number_siblings_ds	Number of full biological siblings with Down syndrome	
familyhistory	Family History	fh_number_half_siblings	Number of half siblings	
familyhistory	Family History	adopted	Is participant adopted?	0=No;1=Yes
familyhistory	Family History	fh_mnc	Biological Mother - Neurological Conditions	1=Cognitive Impairment;2=Dementia/Alzheimer's Disease;3=Early onset (< 60yo);4=Late onset (>60yo);5=Stroke;6=Epilepsy;7=Depression;8=Bipolar Disorder;9=Anxiety/OCD;10=Schizophrenia/Psychosis
familyhistory	Family History	fh_fnc	Biological Father - Neurological Conditions	1=Cognitive Impairment;2=Dementia/Alzheimer's Disease;3=Early onset (< 60yo);4=Late onset (>60yo);5=Stroke;6=Epilepsy;7=Depression;8=Bipolar Disorder;9=Anxiety/OCD;10=Schizophrenia/Psychosis
familyhistory	Family History	fh_ci_s_wout_ds	Cognitive Impairment	
familyhistory	Family History	fh_ad_s_wout_ds	Dementia/Alzheimer's Disease	
fdgmeta	FDG PET Scan Information	fdg_done	Was the scan conducted?	0=No;1=Yes
fdgmeta	FDG PET Scan Information	fdg_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
fdgmeta	FDG PET Scan Information	fdgdose	Injected FDG dose assay	
fdgmeta	FDG PET Scan Information	fdgtime	Time of FDG dose assay	
fdgmeta	FDG PET Scan Information	fdgintime	Time of FDG injection	
fdgmeta	FDG PET Scan Information	fdgscantm	Emission Scan Start Time	
gait	Tinetti Gait Test	tatg_done	Was assessment/procedure done?	0=No;1=Yes
gait	Tinetti Gait Test	tatg_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
gait	Tinetti Gait Test	tbaba	Tinetti Gait Test - Gait Score:	
healthhistory	Health History	hh_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
healthhistory	Health History	hh_hypertension_treated	If yes:	0=Untreated;1=Treated
healthhistory	Health History	hh_hypotension	Hypotension	0=No;1=Yes
healthhistory	Health History	hh_hypotension_treated	If yes:	0=Untreated;1=Treated
healthhistory	Health History	hh_syncope	Syncope	0=No;1=Yes
healthhistory	Health History	hh_syncope_status	If yes:	1=Recent and active;2=Remote and inactive
healthhistory	Health History	hh_pacemaker	Pacemaker	0=No;1=Yes
healthhistory	Health History	hh_stroke	Stroke	0=No;1=Yes
healthhistory	Health History	hh_pneumonia	Pneumonia	0=No;1=Yes
healthhistory	Health History	hh_pneumonia_status	If yes:	1=Within past year;2=>1 year ago
healthhistory	Health History	hh_sleep_apnea	Obstructive Sleep Apnea	0=No;1=Yes
healthhistory	Health History	hh_sleep_apnea_status	If yes:	0=Inactive;1=Active treated;2=Untreated
healthhistory	Health History	hh_hep_b_carrier	Hepatitis B Carrier (i.e. HB Ag+/HB Ab H/O Hepatitis B infection (i.e. Hep B Core Antibody+)	0=No;1=Yes
healthhistory	Health History	hh_hep_b_infection	Hepatitis B Immune (i.e. HB Ag-/HB Ab+)	0=No;1=Yes
healthhistory	Health History	hh_hep_b_immune	Had Hepatitis B vaccine	0=No;1=Yes
healthhistory	Health History	hh_rosacea	Rosacea	0=No;1=Yes
healthhistory	Health History	hh_alopecia	Alopecia (areata or universalis)	0=No;1=Yes
healthhistory	Health History	hh_psooriasis	Psoriasis	0=No;1=Yes
healthhistory	Health History	hh_osteoarthritis	Osteoarthritis	0=No;1=Yes
healthhistory	Health History	hh_osteoporosis	Osteoporosis/Osteopenia	0=No;1=Yes
healthhistory	Health History	hh_gout	Gout	0=No;1=Yes
healthhistory	Health History	hh_atlanto	Atlanto-axial (C1-C2) subluxation	0=No;1=Yes
healthhistory	Health History	hh_fracture	Fracture	0=No;1=Yes
healthhistory	Health History	hh_fracture_5yr	If yes, within past 5 years:	0=No;1=Yes
healthhistory	Health History	hh_fracture_loc	If yes, location:	1=Arm(s);2=Leg(s);3=Hip(s);4=Spine;5=Other
healthhistory	Health History	hh_hypothyroidism	Hypothyroidism	0=No;1=Yes
healthhistory	Health History	hh_hypothyroidism_treated	If yes:	0=Untreated;1=Treated
healthhistory	Health History	hh_hashimoto	Hashimotos Thyroiditis	0=No;1=Yes
healthhistory	Health History	hh_hashimoto_status	If yes:	1=Current Status;2=Past history of this condition
healthhistory	Health History	hh_hyperthyroidism	Hyperthyroidism	0=No;1=Yes
healthhistory	Health History	hh_hyperthyroidism_status	If yes, status:	1=Current Status;2=Past history of this condition

Table	Table Name	Field Name	Question	Codes for Categorical Variables
healthhistory	Health History	hh_hypert thyroidism_treated	If yes, treated?	0=Untreated;1=Euthyroid w/meds
healthhistory	Health History	hh_diabetes	Diabetes	0=No;1=Yes
healthhistory	Health History	hh_diabetes_type	If yes, type:	1=Type 1 (Juvenile);2=Type 2 (Adult onset)
healthhistory	Health History	hh_diabetes_treated	If yes, treated?	0=Untreated;1=Treated w/meds
healthhistory	Health History	hh_vit_d	Vitamin D deficiency	0=No;1=Yes
healthhistory	Health History	hh_menstruated	Has the person ever menstruated	0=No;1=Yes;2=NA - Participant is Male
healthhistory	Health History	hh menopausal	Menopausal	0=No;1=Yes;2=NA - Participant is Male
healthhistory	Health History	hh menopausal_status	If no, status:	1=Still menstruating regularly;2=Irregular menses/perimenopausa
healthhistory	Health History	hh menopausal_onset	If Yes, age of onset of menopause:	
healthhistory	Health History	hh_hrt	Hormone Replacement (HRT)	0=No;1=Yes
healthhistory	Health History	hh_hrt_age	If Yes, what age did HRT begin?	
healthhistory	Health History	hh_hrt_type	If Yes, Type of HRT:	1=DepoProvera;2=Prempro;3=Testosterone;4=Other
healthhistory	Health History	hh_celiac	Celiac Disease	0=No;1=Yes
healthhistory	Health History	hh_anemia	Anemia	0=No;1=Yes
healthhistory	Health History	hh_anemia_type	If Yes, Type:	1=Iron deficiency;2=Folate deficiency;3=Other
healthhistory	Health History	hh_b12	Vitamin B12 deficiency	0=No;1=Yes
healthhistory	Health History	hh_incontinence	Incontinence	0=No;1=Yes
healthhistory	Health History	hh_uti	Urinary Tract Infection	0=No;1=Yes
healthhistory	Health History	hh_uti_status	If Yes, UTI Status:	1=Active/Current;2=Within past year;3=Within past 2-5 years
healthhistory	Health History	hh_arthritis	Rheumatoid arthritis	0=No;1=Yes
healthhistory	Health History	hh_lupus	Lupus	0=No;1=Yes
healthhistory	Health History	hh_neutropenia	Chronic neutropenia	0=No;1=Yes
healthhistory	Health History	hh_autoimmune	Autoimmune Conditions Other	0=No;1=Yes
healthhistory	Health History	hh_cancer	Cancer	0=No;1=Yes
healthhistory	Health History	hh_cancer_type	If Yes, Cancer Type:	1=Bone;2=Bladder;3=Brain;4=Breast;5=Cervical;6=C colon;7=Gastric;8=Leukemia;9=Liver;10=Lung;11=Lymphoma;12=Ovarian;13=Pancreatic;14=Prostate;15=Renal cell;16=Skin;17=Spine;18=Testicular;19=Throat;20=Uterine;21=Vaginal;22=Other
healthhistory	Health History	hh_cardiac_surgery	Cardiac surgery	0=No;1=Yes
healthhistory	Health History	hh_spine_surgery	Spine surgery	0=No;1=Yes
healthhistory	Health History	hh_bone_surgery	Bone surgery	0=No;1=Yes
healthhistory	Health History	hh_abdominal_surgery	Abdominal surgery	0=No;1=Yes
healthhistory	Health History	hh_thyroid_surgery	Thyroid surgery	0=No;1=Yes
healthhistory	Health History	hh_cancer_surgery	Cancer surgery	0=No;1=Yes
healthhistory	Health History	hh_surgery_other	Other Surgery	0=No;1=Yes
healthhistory	Health History	hh_ace_inhib	Acetylcholinesterase Inhibitors	0=No;1=Yes
healthhistory	Health History	hh_anti_anxiety	Anti-anxiety Medications	0=No;1=Yes
healthhistory	Health History	hh_antidepressants	Antidepressants	0=No;1=Yes
healthhistory	Health History	hh_anti_epileptic	Anti-epileptic Medications	0=No;1=Yes
healthhistory	Health History	hh_antipsychotic	Antipsychotic Medications	0=No;1=Yes
healthhistory	Health History	hh_hrt_meds	Hormone Replacement Therapy	0=No;1=Yes
healthhistory	Health History	hh_mood	Mood Stabilizers	0=No;1=Yes
healthhistory	Health History	hh_proton_pump	Proton Pump Inhibitors	0=No;1=Yes
healthhistory	Health History	hh_statins	Statins (Cholesterol Lowering)	0=No;1=Yes
healthhistory	Health History	hh_thyroid_meds	Thyroid Replacement Medications	0=No;1=Yes
healthhistory	Health History	hh_depression	Depression	0=No;1=Yes
healthhistory	Health History	hh_bd	Bipolar Disorder	0=No;1=Yes
healthhistory	Health History	hh_ocd	Anxiety Disorder/OCD	0=No;1=Yes
healthhistory	Health History	hh_schiz	Schizophrenia/Psychosis	0=No;1=Yes
healthhistory	Health History	hh_dementia	Dementia	0=No;1=Yes
healthhistory	Health History	hh_park	Parkinson's Disease	0=No;1=Yes
healthhistory	Health History	hh_seizure	Seizure Disorder	0=No;1=Yes
healthhistory	Health History	hh_tremor	Tremor	0=No;1=Yes
healthhistory	Health History	hh_myoclonus	Myoclonus	0=No;1=Yes
healthhistory	Health History	hh_tbi	Traumatic Brain Injury	0=No;1=Yes
healthhistory	Health History	hh_cataracts	Cataracts	0=No;1=Yes
healthhistory	Health History	hh_vision	Vision	0=Normal/No Problem;1=Normal w/correction (Glasses);2=Impaired
healthhistory	Health History	hh_hearing	Hearing	0=Normal/No Problem;1=Normal w/hearing aid(s);2=Significantly impaired
healthhistory	Health History	hh_cardiovascular	Cardiovascular Conditions	0=Normal/No Problem;1=Abnormal
healthhistory	Health History	hh_chd	Congenital Heart Disease	0=No;1=Yes
healthhistory	Health History	hh_chd_type	If Yes, what condition:	1=ASD;2=VSD;3=AV Canal;4=Tet of Fallot;5=Other
healthhistory	Health History	hh_chd_spec	If other:	
healthhistory	Health History	hh_chd_status	If Yes, was the condition:	0=Unrepaired;1=Repaired
healthhistory	Health History	hh_hyperlipidemia	Hyperlipidemia	0=No;1=Yes
healthhistory	Health History	hh_hyperlipidemia_treated	If yes:	0=Untreated;1=Treated
healthhistory	Health History	hh_hypertension	Hypertension	0=No;1=Yes
healthhistory	Health History	hh_done	Was assessment/procedure done?	0=No;1=Yes
healthhistory	Health History	hh_hrt_years	If Yes, years on HRT:	1=1-3 years; 2=4-6 years;3= >=7 years
karyotype	Karyotyping	karyotype	Karyotype (Chromosome diagnosis)	1=Trisomy 21;2=Mosaicism;3=Translocation;4=Other
karyotype	Karyotyping	kr_done	Was assessment/procedure done?	0=No;1=Yes

Table	Table Name	Field Name	Question	Codes for Categorical Variables
mrimeta	MRI Scan Information	mri_ndreason	If No, please provide reason why the scan was not conducted:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown;11=Consent withdrawn by LAR/Guardian;12=Participant did not give assent for procedure;13=Participant withdrew prior to the procedure;14=Participant withdrew during the procedure due to anxiety/discomfort;15=Investigator withdrew participant due to medical contraindications;16=Investigator withdrew participant due to anxiety/discomfort;17=Investigator withdrew participant due to excessive movement;18=Accompanying LAR/Guardian/caregiver withdrew participant from procedure;19=Not scheduled for procedure this cycle
mrimeta	MRI Scan Information	mri_done	Was the scan conducted?	0=No;1=Yes
mrimeta	MRI Scan Information	mri_ndreason	If No, please provide reason why the scan was not conducted:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown;11=Consent withdrawn by LAR/Guardian;12=Participant did not give assent for procedure;13=Participant withdrew prior to the procedure;14=Participant withdrew during the procedure due to anxiety/discomfort;15=Investigator withdrew participant due to medical contraindications;16=Investigator withdrew participant due to anxiety/discomfort;17=Investigator withdrew participant due to excessive movement;18=Accompanying LAR/Guardian/caregiver withdrew participant from procedure;19=Not scheduled for procedure this cycle
mrimeta	MRI Scan Information	motion	Patient Motion Problems:	0=No;1=Yes
mrimeta	MRI Scan Information	malfunc	Scanner Malfunction:	0=No;1=Yes
mrimeta	MRI Scan Information	otrdev	Other Protocol Variations	0=No;1=Yes
mrimeta	MRI Scan Information	mmarchive	Data Archived Locally	0=No;1=Yes
mrimeta	MRI Scan Information	mri_sedative	Was sedation medication consumed for use during MRI scan?	0=No;1=Yes
mrimeta	MRI Scan Information	mri_sedatime	If Yes, what time was medication administered?	
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntg_carerid	Caregiver ID Number:	
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntg_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmpl	NTG-EDSD - Memory - Problems Learning New Tasks/Names:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntg_carerid	Caregiver ID Number:	
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntaub	NTG-EDSD - ADL - Needs Help Using the Bathroom:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntaui	NTG-EDSD - ADL - Undresses Inappropriately:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbpa	NTG-EDSD - Behavior / Affect - Physical Aggression:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntswn	NTG-EDSD - Sleep / Wake Patterns - Wanders at Night:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case

Table	Table Name	Field Name	Question	Codes for Categorical Variables
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntswf	NTG-EDSD - Sleep / Wake Patterns - Wakes Frequently at Night:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntssd	NTG-EDSD - Sleep / Wake Patterns - Sleeps During the Day:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntssl	NTG-EDSD - Sleep / Wake Patterns - Sleeps Late:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntswe	NTG-EDSD - Sleep / Wake Patterns - Wakes Early:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntsia	NTG-EDSD - Sleep / Wake Patterns - Inadequate Sleep:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntses	NTG-EDSD - Sleep / Wake Patterns - Excessive Sleep:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrst	NTG-EDSD - Self-Reported - Seeing Things:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntscn	NTG-EDSD - Sleep / Wake Patterns - Confused at Night:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrht	NTG-EDSD - Self-Reported - Hearing Things:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrct	NTG-EDSD - Self-Reported - Changes in Thinking:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrcm	NTG-EDSD - Self-Reported - Changes in Memory:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrca	NTG-EDSD - Self-Reported - Changes in Ability:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntrci	NTG-EDSD - Self-Reported - Changes in Interest:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntoow	NTG-EDSD - Observed By Others - Weight:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntoov	NTG-EDSD - Observed By Others - Abnormal Voluntary Movements:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntoop	NTG-EDSD - Observed By Others - Personality:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntoog	NTG-EDSD - Observed By Others - Gait:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntooa	NTG-EDSD - Observed By Others - Attentiveness:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntoof	NTG-EDSD - Observed By Others - Friendliness:	0=Does Not Apply;2=New Symptom;3=Always But Worse
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmrp	NTG-EDSD - Memory - Doesn't Recognize Familiar People:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmwp	NTG-EDSD - Memory - Puts Things in Wrong Places:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmpp	NTG-EDSD - Memory - Problems Printing or Signing Name:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmre	NTG-EDSD - Memory - Doesn't Remember Recent Events:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmmo	NTG-EDSD - Memory - Loses or Misplaces Objects:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmlt	NTG-EDSD - Memory - Loses Track of Time:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmfw	NTG-EDSD - Memory - Doesn't Find Way in Familiar Surroundings:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntmdr	NTG-EDSD - Memory - Doesn't Remember Familiar People:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case

Table	Table Name	Field Name	Question	Codes for Categorical Variables
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntcnw	NTG-EDSD - Communication - Does Not Write:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntcfw	NTG-EDSD - Communication - Does Not Find Words:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntcic	NTG-EDSD - Communication - Does Not Initiate Conversation:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntclc	NTG-EDSD - Communication - Gets Lost in Middle of Conversation:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntcnr	NTG-EDSD - Communication - Does Not Read:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntcfi	NTG-EDSD - Communication - Does Not Follow Simple Instructions:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbwp	NTG-EDSD - Behavior / Affect - Withdraws From People:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbws	NTG-EDSD - Behavior / Affect - Withdraws From Social Activities:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbva	NTG-EDSD - Behavior / Affect - Verbal Aggression:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbtt	NTG-EDSD - Behavior / Affect - Temper Tantrums, Crying, or Shouting:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbts	NTG-EDSD - Behavior / Affect - Talks to Self:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbow	NTG-EDSD - Behavior / Affect - Goes Into Own World:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbor	NTG-EDSD - Behavior / Affect - Obsessive or Repetitive Behavior:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbll	NTG-EDSD - Behavior / Affect - Lethargy or Listlessness:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntblc	NTG-EDSD - Behavior / Affect - Uncertain or Lacks Confidence:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbla	NTG-EDSD - Behavior / Affect - Loss of Interest in Hobbies/Activities:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbii	NTG-EDSD - Behavior / Affect - Increased Impulsivity:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbhh	NTG-EDSD - Behavior / Affect - Hides or Hoards Objects:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntawb	NTG-EDSD - ADL - Needs Help Washing or Bathing:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbaa	NTG-EDSD - Behavior / Affect - Anxious, Agitated, or Nervous:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbad	NTG-EDSD - Behavior / Affect - Depressed:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbaw	NTG-EDSD - Behavior / Affect - Wanders:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntbfo	NTG-EDSD - Behavior / Affect - Can't Use Familiar Objects:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntalb	NTG-EDSD - Ambulation - Unsteady / Loses Balance:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntahe	NTG-EDSD - ADL - Needs Help Eating:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntaid	NTG-EDSD - ADL - Dresses Inappropriately:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntafa	NTG-EDSD - Ambulation - Falls:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case

Table	Table Name	Field Name	Question	Codes for Categorical Variables
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntahd	NTG-EDSD - ADL - Needs Help Dressing:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntacw	NTG-EDSD - Ambulation - Not Confident Walking:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntadi	NTG-EDSD - ADL - Incontinent:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntsev	NTG-EDSD - Significant Life Event - Victimization / Abuse:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgii	NTG-EDSD - Significant Life Event - Illness/Impairment:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntsem	NTG-EDSD - Significant Life Event - Reaction to Medication:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntsei	NTG-EDSD - Significant Life Event - Interpersonal Conflicts:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgnr	NTG-EDSD - Significant Life Event - New Roommate(s):	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgch	NTG-EDSD - Significant Life Event - Changes in Home/Work:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgcs	NTG-EDSD - Significant Life Event - Changes in Staff:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxp	NTG-EDSD - Conditions Present - Moved in Wheelchair:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgcd	NTG-EDSD - Significant Life Event - Death of Someone Close:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxw	NTG-EDSD - Conditions Present - Uses Wheelchair:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxm	NTG-EDSD - Conditions Present - Mobility Impairment:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgph	NTG-EDSD - Current Physical Health:	0=Poor;1=Fair;2=Good;3=Very Good;4=Excellent
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	nt1ph	NTG-EDSD - Physical Health Compared to One Year Ago:	0=Much Worse;1=Somewhat Worse;2=About the Same;3=Somewhat Better;4=Much Better
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgmh	NTG-EDSD - Mental Health Compared to One Year Ago:	0=Much Worse;1=Somewhat Worse;2=About the Same;3=Somewhat Better;4=Much Better
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgse	NTG-EDSD - Seizures:	0=No History;1=Childhood not Adulthood;2=Long Term Occurrence;3=Recent Onset
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxv	NTG-EDSD - Conditions Present - Vision Impairment:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxb	NTG-EDSD - Conditions Present - Blind:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntxg	NTG-EDSD - Conditions Present - Corrected Vision:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxh	NTG-EDSD - Conditions Present - Hearing Impairment:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxd	NTG-EDSD - Conditions Present - Deaf:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntgxa	NTG-EDSD - Conditions Present - Corrected Hearing:	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntg_done	Was assessment/procedure done?	0=No;1=Yes
ntgedsd	National Task Group Early Detection Screen for Dementia (NTG-EDSD)	ntaaw	NTG-EDSD - Ambulation - Requires Aids to Walk:	0=Does Not Apply;2=New Symptom;3=Always But Worse;4=Always Been the Case
pene	Physical and Neurological Exam	pulse	Seated Pulse Rate	

Table	Table Name	Field Name	Question	Codes for Categorical Variables
pene	Physical and Neurological Exam	pulse_regular	Pulse Regular?	0=No;1=Yes
pene	Physical and Neurological Exam	weight	Weight	
pene	Physical and Neurological Exam	height	Height	
pene	Physical and Neurological Exam	hearing	Hearing	1=No hearing problems/Normal (hears whispers);2=OK with hearing aids;3=Decreased hearing
pene	Physical and Neurological Exam	hearing_aids	if OK with hearing aids:	1=Right ear;2=Left ear;3=Both ears
pene	Physical and Neurological Exam	hearing_decreased	If Decreased Hearing:	1=Right ear;2=Left ear;3=Both ears
pene	Physical and Neurological Exam	head_circ	Head Circumference	
pene	Physical and Neurological Exam	cranial_nerves	Relevant Cranial Nerves	0=Normal;1=Abnormal
pene	Physical and Neurological Exam	wear_glasses	If abnormal, Cranial Nerve II: Wears Glasses	0=No;1=Yes
pene	Physical and Neurological Exam	cataract_changes	Cataract changes	0=No;1=Yes
pene	Physical and Neurological Exam	cranial_abnormal_iii	If abnormal, Cranial Nerves III,IV,VI:	0=No Esotropia/No Exotropia;3=Skewed;4=Esotropia;5=Exotropia
pene	Physical and Neurological Exam	cataract_changes_location	If Yes, indicate eye(s):	1=Right Eye;2=Left Eye;3=Both
pene	Physical and Neurological Exam	facial_weakness	If abnormal Cranial Nerve VII: Facial Weakness	0=No;1=Yes
pene	Physical and Neurological Exam	vii_facial_weakness_side	Facial weakness side	1=Right;2=Left;3=Bilateral
pene	Physical and Neurological Exam	motor_system_tone	Tone	0=Normal;1=Abnormal
pene	Physical and Neurological Exam	motor_system_tone_abnormal	If Abnormal, check all that apply:	1=Spastic;2=Hypotonic;3=Gegenhalten (paratonic rigidity);4=Cogwheeling
pene	Physical and Neurological Exam	dental	Normal Teeth/Gums	0=No;1=Yes
pene	Physical and Neurological Exam	motor_system_tremor	Tremor	0=No;1=Yes
pene	Physical and Neurological Exam	dental_abnormal	If No, check all that apply:	1=Periodontitis (inflamed or receding gums);2=Less than 6 teeth left;3=Edentulous;4=Other
pene	Physical and Neurological Exam	cpne_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;7=Site Error;8=Other Reason;9=Unknown
pene	Physical and Neurological Exam	pathological_reflexes_type	If Yes, check all that apply:	1=Glabellar;2=Palmental;3=Palmar grasp;4=Snout
pene	Physical and Neurological Exam	pathological_reflexes	Pathological Reflexes	0=No;1=Yes
pene	Physical and Neurological Exam	upgoing_toes_side	If Yes, indicate side:	1=Right;2=Left;3=Both
pene	Physical and Neurological Exam	upgoing_toes	Upgoing Toes:	0=No;1=Yes
pene	Physical and Neurological Exam	clonus_side	If yes, indicate affected side?	1=Right;2=Left;3=Both
pene	Physical and Neurological Exam	deep_tendon_clonus_present	If increased, is CLONUS present?	0=No;1=Yes
pene	Physical and Neurological Exam	deep_tendon_reflexes_type	If abnormal, are deep tendon reflexes:	0=Absent;1=Increased
pene	Physical and Neurological Exam	deep_tendon_location	If increased, check all that apply:	1=Biceps;2=Triceps;3=Knee;4=Ankle
pene	Physical and Neurological Exam	dysmetria	Coordination-Dysmetria:	0=No;1=Yes
pene	Physical and Neurological Exam	deep_tendon_reflexes	Deep Tendon Reflexes:	0=Normal;1=Abnormal
pene	Physical and Neurological Exam	neck_movements	Limitation of neck movements	0=No;1=Yes
pene	Physical and Neurological Exam	motor_system_gait	Gait	0=Normal;1=Abnormal
pene	Physical and Neurological Exam	alopecia	Alopecia (areata or universalis)	0=No;1=Yes
pene	Physical and Neurological Exam	motor_gait_abnormal	If Abnormal, check all that apply:	1=Shuffling;2=Wide-based;3=Apraxic;4=Nonambulatory
pene	Physical and Neurological Exam	facial_rosacea	Facial Rosacea	0=No;1=Yes
pene	Physical and Neurological Exam	motor_system_myoclonus	Myoclonus	0=No;1=Yes
pene	Physical and Neurological Exam	motor_system_tremor_type	If Yes, type:	1=Parkinsonian;2=Essential Tremor

Table	Table Name	Field Name	Question	Codes for Categorical Variables
pene	Physical and Neurological Exam	bp_diastolic	Seated Blood Pressure - Diastolic	
pene	Physical and Neurological Exam	bp_systolic	Seated Blood Pressure - Systolic	
pene	Physical and Neurological Exam	weight_units	Weight Units	1= Pounds;
pene	Physical and Neurological Exam	head_circ_units	Head Circumference Units	1=Inches;
pene	Physical and Neurological Exam	height_units	Height Units	1=Inches;
pene	Physical and Neurological Exam	cpne_done	Was assessment/procedure done?	0=No;1=Yes
ptdemog	Participant Demographics	ds_vs_control_flag	Control VS Down Syndrome Flag	Control = If in control group; DS= if not in Control group
ptdemog	Participant Demographics	de_handedness	Handedness	1=Right-handed;2= Left-handed;3=Ambidextrous
ptdemog	Participant Demographics	pniimp	Premorbid Intellectual Impairment	1=Mild;2=Moderate;3=Severe
ptdemog	Participant Demographics	de_race	Race	1=White ;2=Black/African-American/African/Caribbean/Black British;3=American Indian/Alaskan Native;4=Asian/Asian British;5=Native Hawaiian/Other Pacific Islander;6=Unknown or Not Reported
ptdemog	Participant Demographics	de_lang	Primary Language	1=English;2=Spanish;3=Other
ptdemog	Participant Demographics	de_lang_spec	Specify Other Language	
ptdemog	Participant Demographics	de_age_mom_birth	Age of Mother at Participant's Birth	
ptdemog	Participant Demographics	de_age_dad_birth	Age of Father at Participant's Birth	
ptdemog	Participant Demographics	hh_residence_1	Participant Residence	1=With Family/Caregiver;2=Group Home;3=Independent Living;4=Facility
ptdemog	Participant Demographics	de_gender	Gender	1=Male;2=Female
ptdemog	Participant Demographics	hh_group_home_1	Level of Independence	1=Minimum supervision;2=24 hour supervision;3=No supervision
ptdemog	Participant Demographics	de_ethnicity	Ethnicity: Hispanic/Latino?	0=No;1=Yes;2=Unknown or Not Reported
ptdemog	Participant Demographics	hh_activity_job_1	Hours at day program/workshop/paid job	1=<10hrs/wk;2=10-20hrs/wk;3=>20hrs/wk
ptdemog	Participant Demographics	hh_activity_1	Participant Weekday Activity	1=Day program;2=Workshop;3=Stays at home;4=Paid job
reiss	Reiss Screen for Maladaptive Behavior	rs_carerid	Caregiver ID Number:	
reiss	Reiss Screen for Maladaptive Behavior	reiss_total_score	Reiss Total Score	if([aggrr] >=0 and [anxr] >=0 and [atnrr] >=0 and [bodyr] >=0 and [compr] >=0 and [confr] >=0 and [cryr] >=0 and [delur] >=0 and [depdr] >=0 and [destr] >=0 and [eatpr] >=0 and [fearr] >=0 and [hallr] >=0 and [hostr] >=0 and [impur] >=0 and [inatr] >=0 and [lower] >=0 and [nonar] >=0 and [ovser] >=0 and [parar] >=0 and [regbr] >=0 and [sadr] >=0 and [slppr] >=0 and [socir] >=0 and [temptr] >=0 and [withr] >=0,sum([aggrr], [anxr], [atnrr], [bodyr], [compr], [confr], [cryr], [delur], [depdr], [destr], [eatpr], [fearr], [hallr], [hostr], [impur], [inatr], [lower], [nonar], [ovser], [parar], [regbr], [sadr], [slppr], [socir], [temptr], [withr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	unmmr	37. Unusual Motor Movements:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	withr	38. Withdrawn:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	stear	33. Stealing:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	suitr	34. Suicidal Tendencies:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	temptr	35. Temper Tantrums:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	tirer	36. Tiredness:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	slppr	31. Sleep Problems:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	socir	32. Social Inadequacies:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	ssbr	29. Self-Stimulatory Behavior:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	sexpr	30. Sexual Problems:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	selfr	28. Self-Injury:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	ovser	24. Overly Sensitive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	parar	25. Paranoia:	0=No Problem;1=Problem;2=Major Problem

Table	Table Name	Field Name	Question	Codes for Categorical Variables
reiss	Reiss Screen for Maladaptive Behavior	regbr	26. Regressive Behavior	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	sadnr	27. Sadness:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	ovacr	23. Overactive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	objar	22. Object Attachment:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	nonar	21. Nonassertive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	hallr	16. Hallucinations:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	hostr	17. Hostile:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	impur	18. Impulsive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	inatr	19. Inattentive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	lower	20. Low Energy:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	fearr	15. Fearful:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	euphr	14. Euphoria:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	echor	13. Echolalia:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	eatpr	12. Eating Problem:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	drugr	11. Drug / Alcohol Abuse:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	destr	10. Destructive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	aggrr	1. Aggressive:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	anxr	2. Anxious:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	attnr	3. Attention-Seeking:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	bodyr	4. Body Stress:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	delur	8. Delusions:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	depdr	9. Dependent:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	cryr	7. Crying Spells:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	confr	6. Confused Thinking:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	compr	5. Complaining:	0=No Problem;1=Problem;2=Major Problem
reiss	Reiss Screen for Maladaptive Behavior	rs_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
reiss	Reiss Screen for Maladaptive Behavior	rs_done	Was assessment/procedure done?	0=No;1=Yes
reiss	Reiss Screen for Maladaptive Behavior	reiss_dep_b_sum	Depression (B)	if ([anxr] >=0 and [cryr] >=0 and [fearr] >= 0 and [ovser] >= 0 and [sadnr] >= 0, sum([anxr],[cryr],[fearr],[ovser],[sadnr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	reiss_avoid_sum	Avoidant Disorder	if ([inatr] >=0 and [lower] >=0 and [nonar] >= 0 and [socir] >= 0 and [withr] >= 0, sum([inatr],[lower],[nonar],[socir],[withr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	reiss_dep_p_sum	Depression (P)	if ([bodyr] >=0 and [eatpr] >=0 and [lower] >= 0 and [regbr] >= 0 and [slppr] >= 0, sum([bodyr],[eatpr],[lower],[regbr],[slppr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	reiss_dpd_sum	Dependent Personality Disorder	if ([anxr] >=0 and [attnr] >=0 and [bodyr] >= 0 and [compr] >= 0 and [depdr] >= 0, sum([anxr],[attnr],[bodyr],[compr],[depdr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	reiss_paranoia_sum	Paranoia	if ([compr] >=0 and [hallr] >=0 and [hostr] >= 0 and [ovser] >= 0 and [parar] >= 0, sum([compr],[hallr],[hostr],[ovser],[parar]),"NaN")

Table	Table Name	Field Name	Question	Codes for Categorical Variables
reiss	Reiss Screen for Maladaptive Behavior	reiss_psychosis_sum	Psychosis	if ([confr] >=0 and [delur] >=0 and [hallr] >= 0 and [parar] >= 0 and [socir] >= 0, sum([confr],[delur],[hallr],[parar],[socir]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	autism_sum	Autism	if ([echor] >=0 and [objar] >=0 and [ssbr] >= 0 and [unmmr] >= 0 and [withr] >= 0, sum([echor],[objar],[ssbr],[unmmr],[withr]),"NaN")
reiss	Reiss Screen for Maladaptive Behavior	aggressive_sum	Aggressive Behavior	if([aggrr] >=0 and [destr] >=0 and [hostr] >= 0 and [impur] >= 0 and [temptr] >= 0,sum([aggrr],[destr],[hostr],[impur],[temptr]),"NaN")
taumeta	Tau AV-1451 PET Scan Information	tau_ndreason	If No, reason not done:	1=Participant Unable for Cognitive Reasons;2=Participant Unable for Other Reasons (Physical, auditory, etc.);3=Participant/Study Partner Refused;4=Equipment related issue;7=Site Error;8=Other Reason;9=Unknown
taumeta	Tau AV-1451 PET Scan Information	tau_done	Was scan conducted?	0=No;1=Yes
taumeta	Tau AV-1451 PET Scan Information	tautime	Time of AV-1451 dose assay	
taumeta	Tau AV-1451 PET Scan Information	tauscantm	Emission Scan Start Time	
taumeta	Tau AV-1451 PET Scan Information	taudose	Injected AV-1451 dose assay	
taumeta	Tau AV-1451 PET Scan Information	tauinjtime	Time of AV-1451 injection	
vineland	Vineland Adaptive Behavior Scale 3	abcsv	Adaptive Behavior Composite Standard Score:	
vineland	Vineland Adaptive Behavior Scale 3	recsv	Vineland - Receptive Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	cdssv	Communication Domain Standard Score:	
vineland	Vineland Adaptive Behavior Scale 3	copmv	Vineland - Coping Skills Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	copyv	Vineland - Coping Skills Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	copsv	Vineland - Coping Skills Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	pltmv	Vineland - Play and Leisure Time Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	pltyv	Vineland - Play and Leisure Time Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	pltsv	Vineland - Play and Leisure Time Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	inrmv	Vineland - Interpersonal Relationships Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	inryv	Vineland - Interpersonal Relationships Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	inrsv	Vineland - Interpersonal Relationships Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	commv	Vineland - Community Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	comyv	Vineland - Community Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	comsv	Vineland - Community Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	dommv	Vineland - Domestic Age Equivalent - Months	
vineland	Vineland Adaptive Behavior Scale 3	domyv	Vineland - Domestic Age Equivalent - Years	
vineland	Vineland Adaptive Behavior Scale 3	domsv	Vineland - Domestic Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	permv	Vineland - Personal Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	peryv	Vineland - Personal Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	persv	Vineland - Personal Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	wrimv	Vineland - Written Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	wriyv	Vineland - Written Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	wrisv	Vineland - Written Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	expmv	Vineland - Expressive Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	expyv	Vineland - Expressive Age Equivalent - Years:	

Table	Table Name	Field Name	Question	Codes for Categorical Variables
vineland	Vineland Adaptive Behavior Scale 3	sdssv	Socialization Domain Standard Score:	
vineland	Vineland Adaptive Behavior Scale 3	expsv	Vineland - Expressive Raw Score:	
vineland	Vineland Adaptive Behavior Scale 3	tdssv	Sum of Domain Standard Scores:	
vineland	Vineland Adaptive Behavior Scale 3	ddssv	Daily Living Skills Domain Standard Score:	
vineland	Vineland Adaptive Behavior Scale 3	recmv	Vineland - Receptive Age Equivalent - Months:	
vineland	Vineland Adaptive Behavior Scale 3	recyv	Vineland - Receptive Age Equivalent - Years:	
vineland	Vineland Adaptive Behavior Scale 3	vabs_done	Was assessment/procedure done?	0=No;1=Yes